

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|---|------------------|---------|---------------------|
| L1    | 2     | 715/962.ccls. and @pd> "20091208"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:31 |
| L2    | 9987  | 709/223.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:32 |
| L4    | 435   | compar\$3 with (configuration database file) same creat\$3 same new same (file and information) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:44 |
| L5    | 360   | L4 and (action parameter value)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:44 |
| L6    | 13678 | (analyze analyzing audit \$4) with configuration  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:44 |
| L7    | 129   | L6 with information with (different difference)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:44 |
| L8    | 91    | L7 and network  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/03/11<br>15:44 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| L9  | 29  | compar\$3 same<br>(configuration file) same<br>stor\$3 same creat\$3 same<br>information same GUI  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/03/11<br>15:45 |
| L10 | 129 | 715/961.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/03/11<br>15:48 |
| S1  | 54  | ("4589063"   "4864492"  <br>"5220654"   "5257387"  <br>"5261042"   "5265241"  <br>"5353432"   "5394522"  <br>"5428791"   "5452415"  <br>"5500934"   "5515524"  <br>"5517646"   "5740436"  <br>"5787246"   "5819042"  <br>"5825361"   "5838907"  <br>"6119185"   "6263382"  <br>"6266675"   "6343360"  <br>"6349274"   "6405309"  <br>"6513045"   "6578142"  <br>"6650648").PN. | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:37 |
| S2  | 2   | "6880107".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>08:49 |
| S3  | 2   | "6598057".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>08:49 |
| S6  | 13  | ("6711645" "6058445"<br>"6105089" "6046742"<br>"6134614" "6151023").pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:46 |
| S7  | 15  | compar\$3 same<br>(configuration file) same<br>stor\$3 same creat\$3 same<br>information same GUI  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:55 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S8  | 1554 | compar\$3 with<br>(configuration database<br>file) same creat\$3 same<br>new   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>10:38 |
| S9  | 276  | compar\$3 with<br>(configuration database<br>file) same creat\$3 same<br>new same (file and<br>information)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>10:39 |
| S10 | 221  | S9 and (action parameter<br>value)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>10:40 |
| S11 | 54   | ("4589063"   "4864492"  <br>"5220654"   "5257387"  <br>"5261042"   "5265241"  <br>"5353432"   "5394522"  <br>"5428791"   "5452415"  <br>"5500934"   "5515524"  <br>"5517646"   "5740436"  <br>"5787246"   "5819042"  <br>"5825361"   "5838907"  <br>"6119185"   "6263382"  <br>"6266675"   "6343360"  <br>"6349274"   "6405309"  <br>"6513045"   "6578142"  <br>"6650648").PN. | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:37 |
| S12 | 19   | S11 and compar\$3  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:37 |
| S13 | 13   | ("6711645" "6058445"<br>"6105089" "6046742"<br>"6134614" "6151023").pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:47 |
| S14 | 3    | S13 and compar\$3  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/17<br>12:08 |

|     |       |  |   |    |    |                     |
|-----|-------|--|---|----|----|---------------------|
| S15 | 12299 | (analyz\$3 audit\$4) with configuration          | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:55 |
| S16 | 1999  | S15 with information                             | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:54 |
| S17 | 71668 | S16 same display (GUI (user adj interface))      | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:53 |
| S18 | 5     | S16 same display same (GUI (user adj interface)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S19 | 107   | S15 with information with (different difference) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S20 | 7959  | (analyze analyzing audit \$4) with configuration | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:56 |
| S21 | 70    | S20 with information with (different difference) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>12:56 |
| S22 | 53    | S21 and network                                  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>13:29 |

|     |       |  |   |    |    |                     |
|-----|-------|--|---|----|----|---------------------|
| S23 | 18    | ("20040153869"   "0156294"   "0168182"   "0190105"   "5481741"   "5861882"   "5974254"   "6138270"   "6327617").<br>PN.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/14<br>13:30 |
| S24 | 60    | 715/962.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:55 |
| S25 | 2     | "6151567".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/17<br>12:09 |
| S26 | 2     | "7024660".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/17<br>12:09 |
| S27 | 4     | 715/962.ccls. and<br>@pd> "20070214"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S28 | 3     | compar\$3 same<br>(configuration file) same<br>stor\$3 same creat\$3 same<br>information same GUI and<br>@pd> "20070214" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:55 |
| S29 | 13431 | (analyz\$3 audit\$4) with<br>configuration   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S30 | 2240  | S29 with information   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S31 | 1   | S30 same display same (GUI (user adj inerface)) and @pd> "20070214"                              | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S32 | 10  | S29 with information with (different difference) and @pd> "20070214"                             | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/07<br>09:56 |
| S33 | 54  | apply\$3 with change with configuration with file  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/17<br>11:21 |
| S34 | 10  | (apply\$3 with change with configuration with file) and (compar\$4 with configuration with file) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/17<br>11:21 |
| S35 | 7   | 715/962 and @pd> "20070807"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/17<br>14:41 |
| S36 | 20  | compar\$3 same (configuration file) same stor\$3 same creat\$3 same information same GUI         | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:13 |
| S37 | 967 | compar\$3 with configuration with file   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:14 |
| S38 | 62  | compar\$3 with configuration with file same difference   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:14 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S39 | 7  | compar\$3 with configuration with file same difference and fix                        | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:21 |
| S40 | 3  | "764323".ap.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:49 |
| S41 | 1  | compar\$3 with configuration with file same difference same error                     | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/21<br>10:58 |
| S42 | 9  | compar\$3 with configuration same wizard  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>08:40 |
| S43 | 25 | user with (fix\$3 correct\$3) with (error warning) with parameter same configuration  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>08:52 |
| S44 | 16 | (user adj interface) with (fix\$3 correct\$3) with (error warning) with configuration | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>08:55 |
| S45 | 2  | "20050259590".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:06 |
| S46 | 2  | "6363065".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:09 |

|     |      |   |   |    |    |                     |
|-----|------|---|---|----|----|---------------------|
| S47 | 2    | "6085335".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:11 |
| S48 | 2    | "6259911".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:12 |
| S49 | 720  | select\$3 near3 error near3<br>correct                                  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:51 |
| S50 | 18   | select\$3 near3 error near3<br>correct same button                      | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:51 |
| S51 | 12   | select\$3 near3 error near3<br>correct with button                      | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:52 |
| S52 | 4    | select\$3 near3 error near3<br>correct with button and<br>configuration | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:53 |
| S53 | 0    | select\$3 near3 error near3<br>correct with wizard and<br>configuration | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:53 |
| S54 | 1188 | configuration with wizard   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:54 |



|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S55 | 19  | S54 same (correct\$ fix\$3) with (error problem warning) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>09:54 |
| S56 | 0   | non adj conform\$3 with paramenters                      | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:11 |
| S57 | 191 | non adj conform\$3 with parameters                       | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:14 |
| S58 | 1   | non adj conform\$3 with parameters with configuration    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:14 |
| S59 | 110 | non adj conform\$3 with configuration                    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:15 |
| S60 | 5   | non adj conform\$3 with configuration same error         | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:16 |
| S61 | 16  | compar\$3 with configuration with file with analyz\$3    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:17 |
| S62 | 2   | "7051243".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>10:46 |

|     |      |   |   |    |    |                     |
|-----|------|---|---|----|----|---------------------|
| S63 | 1040 | spell adj check   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:27 |
| S64 | 1450 | spell\$3 adj check  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:27 |
| S65 | 243  | spell\$3 adj check with (fix<br>\$3 correct\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:28 |
| S66 | 86   | spell\$3 adj check with (fix<br>\$3 correct\$3) same<br>(problem error)                             | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:28 |
| S67 | 38   | spell\$3 adj check with (fix<br>\$3 correct\$3) same<br>(problem error) and (user<br>adj interface) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:29 |
| S68 | 90   | spell\$3 adj check with (fix<br>\$3 correct\$3) and (user<br>adj interface)                         | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:30 |
| S69 | 11   | spell\$3 adj check with (fix<br>\$3 correct\$3) and (user<br>adj interface) and "715"               | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:30 |
| S70 | 23   | spell\$3 adj check with (fix<br>\$3 correct\$3) and (user<br>adj interface) and "715".<br>clas.     | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:30 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S71 | 13  | spell\$3 adj check with (fix \$3 correct\$3) and (user adj interface) and compar \$3 with dictionary | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>12:31 |
| S72 | 553 | error adj checker  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:02 |
| S73 | 84  | error adj checker near4 (fix\$3 correct\$3 chang\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:02 |
| S74 | 1   | error adj checker near4 (fix\$3 correct\$3 chang\$3) same (GUI wizard interface)                     | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:03 |
| S75 | 84  | error adj checker near4 (fix\$3 correct\$3 chang\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:04 |
| S76 | 888 | spell adj checker  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:16 |
| S77 | 39  | spell adj checker with interface   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>13:16 |
| S78 | 23  | 715/962 and @pd> "20080116"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/22<br>15:08 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S79 | 2930 | (configuration adj file)<br>with parameter   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>06:49 |
| S80 | 32   | (configuration adj file)<br>with parameter with<br>compar\$3   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>06:49 |
| S81 | 26   | ("20030140131"  <br>"20040083290"  <br>"20040158601"  <br>"20040224668"  <br>"5751967"   "6079020"  <br>"6092200"   "6212559"  <br>"6226751"   "6366563"  <br>"6701358"   "6765591").<br>PN. | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>07:07 |
| S82 | 3    | "6711645".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>07:47 |
| S83 | 8    | GUI same compar\$3 with<br>(configuration adj file)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>07:55 |
| S84 | 0    | 715/962.ccls. and<br>@pd> "20080731"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/10/20<br>08:00 |
| S85 | 2    | 715/962.ccls. and<br>@pd> "20081027"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/12/05<br>18:40 |
| S86 | 29   | compar\$3 same<br>(configuration file) same<br>stor\$3 same creat\$3 same<br>information same GUI  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/12/05<br>18:40 |

3/ 11/ 2010 4:02:53 PM

**C:\ Documents and Settings\ ajones4\ My Documents\ EAST\ Workspaces\ 1076\ 10764323.wsp**